

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



List Price wef.
1st Feb 2023



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 1st Feb 2023

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,165	20
10303	1.00	1,605	20
10304	1.50	2,345	12
10305	2.50	3,735	12
10306	4.00	5,440	8
10307	6.00	8,130	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,120	20
10313	1.00	1,450	20
10314	1.50	2,105	12
10315	2.50	3,375	12
10316	4.00	5,185	8
10317	6.00	7,775	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,840	8
10314	1.50	4,135	6
10315	2.50	6,665	4
10306016	4.00	10,255	4
10307016	6.00	15,380	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	710	30
10314	1.50	1,035	24
10315	2.50	1,665	24
10316	4.00	2,565	12
10317	6.00	3,845	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 1st Feb 2023

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR-LSH) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,465	20
10114	1.50	2,125	12
10115	2.50	3,410	12
10106	4.00	5,240	8
10107	6.00	7,855	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,870	8
10114016	1.50	4,175	6
10115016	2.50	6,730	4
10106016	4.00	10,360	4
10107016	6.00	15,535	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	720	30
10114	1.50	1,045	24
10115	2.50	1,685	24
10106	4.00	2,590	12
10107	6.00	3,885	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 1st Feb 2023

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,625	20
10404	1.50	2,390	12
10405	2.50	3,775	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,585	8
10407	6.00	8,130	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,795	270	8
10404010	1.50	7,070	270	6
10405010	2.50	11,205	270	4
10406016	4.00	11,080	180	4
10407016	6.00	16,145	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14001	0.50	830
14002	0.75	1,215
14003	1.00	1,580

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14104	1.50	2,300
14105	2.50	3,705
14206	4.00	5,695

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	8,545
14208	10	14,910
14209	16	23,390
14210	25	36,550
14211	35	50,975
14212	50	72,250

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	1,05,310
14514	95*	1,39,360
14515	120*	1,78,820
14516	150*	2,21,525
14517	185*	2,73,840
14518	240*	3,59,945

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,305
17002	0.75	3,130
17002	1.00	3,885

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,220
17102	2.50	8,410
17202	4.00	13,110

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,060
17003	0.75	4,230
17003	1.00	5,325

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	7,345
17103	2.50	11,730
17203	4.00	18,540

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	3,870
17004	0.75	5,365
17004	1.00	6,840

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	9,620
17104	2.50	15,505
17204	4.00	24,400

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	5,725
17006	0.75	8,160
17006	1.00	10,275

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	14,405
17106	2.50	23,250
17206	4.00	36,770

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	6,670
17008	0.75	9,320
17008	1.00	11,865

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	16,715
17107	2.50	26,965
17207	4.00	42,435

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,500
17008	0.75	10,525
17008	1.00	13,380

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	19,015
17108	2.50	30,740
17208	4.00	48,305

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	9,070
17010	0.75	12,975
17010	1.00	16,515

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	23,340
17110	2.50	37,885
17210	4.00	59,870

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	10,710
17012	0.75	15,360
17012	1.00	19,610

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	27,735
17112	2.50	45,360
17212	4.00	71,390

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	12,505
17014	0.75	17,755
17014	1.00	22,705

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	32,395
17114	2.50	52,830
17214	4.00	82,845

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	14,175
17016	0.75	20,325
17016	1.00	25,990

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	36,870
17116	2.50	60,125
17216	4.00	94,805

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	16,560
17019	0.75	23,810
17019	1.00	30,690

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	43,550
17119	2.50	70,565
17219	4.00	111,845

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	27,330
17203084	10	46,740
17203094	16*	72,385
17203104	25*	111,730
17203114	35*	156,490


Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	224,830
17503134	70*	316,580
17503144	95*	418,295
17503154	120*	558,505

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	35,770
17204084	10	61,010
17204094	16*	94,175
17204104	25*	147,725
17204114	35*	206,275

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	293,800
17504134	70*	418,460
17504144	95*	553,175
17504154	120*	722,295

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



List Price wef. 1st Feb 2023



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 1st Feb 2023

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,645	5017
RG 6 CU	2300	7015
RG 11 CU	5,240	15,982

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,460	4,453
RG 11 CCS	2,920	8,906

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,005	9,165

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,955
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,014
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,225
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,929
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,735
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,658
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,920
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,785
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,135
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,205



Telephone Cable

List Price wef. 1st Feb 2023

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	775
31050023	2 pair	1,370
31050033	3 pair	2,025
31050043	4 pair	2,670
31050053	5 pair	3,320

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,455
31050203	20 pair	12,290
31050503	50 pair	30,105
31051001	100 pair	58,720

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	545
31040023	2 pair	965
31040033	3 pair	1,415
31040043	4 pair	1,825
31040053	5 pair	2,240

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,510
31040203	20 pair	8,470
31040503	50 pair	20,465
31041001	100 pair	39,145


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	8,510
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,515
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,515
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,515
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,515
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,770
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,365
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	4,710
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	14,640




Speaker Cable



List Price wef. 1st Feb 2023

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,720
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,500
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,090
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,580
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,110
60329024	Speaker Cable 2.5 SQMM (Transparent)100M	6	100 Mtr	7,340
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	430
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	625
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	775
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,145

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



List Price wef. 1st Feb 2023



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



List Price wef. 1st Feb 2023

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7,680
13713051	2.50	12,195
13703061	4.00	17,960
13803071	6.00	26,540
13803081	10.00	46,040
13803091	16.00	71,470

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,11,760
13803111	35.00	1,54,705
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,065
13863059	2.50	12,805

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	18,860

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	27,865
13823089	10.00	48,340
13823099	16.00	75,045

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,17,350
13823119	35.00	1,62,440

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	14,630
13853089	14	140/.36	24,160
13853099	23	226/.36	37,775

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	54,940
13853119	50	594/.36	75,450

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 1st Feb 2023

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	485	1000	6
13000602	0.60	485	500	6
13000701	0.70	660	1000	6
13000702	0.70	660	500	6
13000801	0.80	885	1000	6
13000802	0.80	885	500	6
13000901	0.90	1,070	1000	5
13000902	0.90	1,070	500	6
13001001	1.00	1,315	1000	5
13001002	1.00	1,315	500	6
13001101	1.10	1,580	1000	4
13001102	1.10	1,580	500	6
13001201	1.20	1,870	1000	4
13001202	1.20	1,870	500	6
13001301	1.30	2,190	1000	3
13001302	1.30	2,190	500	6
13001402	1.40	2,545	500	5
13001502	1.50	2,910	500	5
13001602	1.60	3,300	500	4
13001702	1.70	3,720	500	4
13001802	1.80	4,170	500	4
13001902	1.90	4,640	500	3
13002002	2.00	5,180	500	3
13002102	2.10	5,695	500	3
13002202	2.20	6,240	500	2
13002302	2.30	6,800	500	2
13002402	2.40	7,420	500	2
13002502	2.50	8,040	500	2
13002602	2.60	8,690	500	2
13002702	2.70	9,350	500	2
13002804	2.80*	10,070	250	3
13003004	3.00*	11,535	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 1st Feb 2023



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables



Auto Battery Cables

List Price wef. 1st Feb 2023

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,845	23,390
22210	354/.3	25	9,135	36,550
22211	495/.3	35	12,745	50,975
22212	703/.3	50	18,080	72,250
22513	360/.5	70	26,315	105,310
22514	475/.5 *	95	34,835	139,360
22515	608/.5 *	120	44,735	178,820
22516	750/.5 *	150	55,395	221,525
22517	925/.5 *	185	68,430	273,840
22518	1221/.5 *	240	89,990	359,945

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	845	3,365

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	205	805
2302	24/.21	0.75	300	1,205
2303	32/.21	1.00	400	1,595
2304	30/.26	1.50	590	2,355
2305	50/.26	2.50	970	3,885
2306	56/.31	4.00	1,610	6,445
2307	84/.31	6.00	2,390	9,540

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables



List Price wef. 1st Feb 2023

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,910	STANDARD LENGTH OF 500 MTR
16907011	6	11,065	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables



AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
Indore: 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555688 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.